

VYHLÁŠENIE O PARAMETROCH

č. V.014

1. Jedinečný identifikačný kód typu výrobku:

Číslo výrobkov v priloženom zozname.

Typ, dávka alebo iný prvok umožňujúci identifikáciu:

Keramické umývadlá bez prepadu. Keramické umývadlá s prepadom.

2. Zamýšľané použitie/použitia: **Osobná hygiena (PH)**

3. Meno, firma alebo registrovaná obchodná známka a kontaktná adresa výrobcu podľa čl. 11 ods. 5:

RAVAK a.s.
Obecnická 285
261 01, Příbram 1
CZECH REPUBLIC
<http://www.ravak.com>

4. Splnomocnený zástupca: **nevzťahuje sa**

5. Systém posudzovania a overovania nemennosti parametrov: **Systém 4**

6. Harmonizovaná norma: **EN 14688:2006**

Notifikovaný subjekt: ---

7. Deklarované parametre:

Umývadlá bez prepadu:

Podstatné vlastnosti	Parametre	Harmonizované technické špecifikácie
Hodnota odtoku prepadu (OF)	CL 00	EN 14688:2006
Schopnosť čistenia (CA)	Vyhovuje	
Odolnosť proti statickému zaťaženiu (LR)	NPD	
Trvanlivosť schopnosti čistenia (DA)	Vyhovuje	

Umývadlá s prepadom:


Podstatné vlastnosti	Parametre	Harmonizované technické špecifikácie
Hodnota odtoku prepadu (OF)	CL 15	EN 14688:2006
Schopnosť čistenia (CA)	Vyhovuje	
Odolnosť proti statickému zaťaženiu (LR)	NPD	
Trvanlivosť schopnosti čistenia (DA)	Vyhovuje	

Uvedené parametre výrobku sú v zhode so súborom deklarováných parametrov. Toto vyhlásenie o parametroch sa v súlade s nariadením (EÚ) č. 305/2011 vydáva na výhradnú zodpovednosť uvedeného výrobcu.

Podpísal za a v mene výrobcu:

Ing. Patrik Kreysa
riaditeľ úseku obchodnej stratégie

V Příbrami, 13. marca 2025



Príloha k vyhláseniu o parametroch

č. V.014

Keramické umývadlá bez prepadu

Číslo výrobku	Názov/rozmer	Označenie CE
XJX01250000	Balance 500 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260000	Balance 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280000	Balance 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D155000	Ceramic 550 O Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155001	Ceramic 550 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01160001	Ceramic 600 O ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D155001	Ceramic 550 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155002	Ceramic 550 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01160002	Ceramic 600 R ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260001	Comfort 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280001	Comfort 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01249000	Márta 490 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01264000	Márta 640 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01140006	PAJA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01138001	Uni 380 S Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01140003	Uni 400 B Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01140001	Uni 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01140002	Uni 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
GPX2240601	UNI 500 O Slim ceramic gloss white	EN 14688 - CL00; OF-CA-DA
XJX03150000	Uni 500 R Slim ceramic black	EN 14688 - CL00; OF-CA-DA
XJX0D150000	Uni 500 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01150001	Uni 500 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0G228000	Yard 280 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX07228000	Yard 280 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX03228000	YARD 280 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0O228000	Yard 280 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D028000	Yard 280 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01028000	Yard 280 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D228000	Yard 280 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08228000	Yard 280 C ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01228000	Yard 280 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E228001	Yard 280 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03028000	YARD 280 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0G240000	Yard 400 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03240002	YARD 400 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07240000	Yard 400 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08240000	Yard 400 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O240000	Yard 400 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D040000	Yard 400 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA

Číslo výrobku	Názov/rozmer	Označenie CE
XJX08040000	Yard 400 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01040000	Yard 400 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E040000	Yard 400 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D240002	Yard 400 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01240002	Yard 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E240001	Yard 400 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G040000	Yard 400 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03040000	YARD 400 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07040000	Yard 400 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O040000	Yard 400 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G245000	Yard 450 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03245000	YARD 450 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07245000	Yard 450 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O245000	Yard 450 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D045000	Yard 450 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01045000	Yard 450 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E045000	Yard 450 C w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D245000	Yard 450 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08245000	Yard 450 C ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01245000	Yard 450 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E245001	Yard 450 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G045000	Yard 450 C w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03045000	YARD 450 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07045000	Yard 450 C w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08045000	Yard 450 C w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O045000	Yard 450 C w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G260000	Yard 600 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03260002	YARD 600 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX08260000	Yard 600 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O260000	Yard 600 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D060000	Yard 600 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08060000	Yard 600 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01060000	Yard 600 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E060000	Yard 600 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D260002	Yard 600 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX07260000	Yard 600 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX01260002	Yard 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E260001	Yard 600 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G060000	Yard 600 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03060000	YARD 600 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07060000	Yard 600 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O060000	Yard 600 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G280000	Yard 800 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA

Číslo výrobku	Názov/rozmer	Označenie CE
XJX03280002	YARD 800 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07280000	Yard 800 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX00280000	Yard 800 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX01280002	Yard 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01080000	Yard 800 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D080000	Yard 800 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX0E080000	Yard 800 w/o hole ceramic hole white matt	EN 14688 - CL00; OF-CA-DA
XJX0D280002	Yard 800 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08280000	Yard 800 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0E280001	Yard 800 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G080000	Yard 800 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03080000	YARD 800 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07080000	Yard 800 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08080000	Yard 800 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O080000	Yard 800 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX01140007	Zeta 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01155007	Zeta 550 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
X01717	UNI F SLIM 400 ceramic white	EN 14688 - CL00; OF-CA-DA
X01720	VEDA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01240000	VEDA Slim 400 ceramic white	EN 14688 - CL00; OF-CA-DA

Keramické umývadlá s prepacom

Číslo výrobku	Názov/rozmer	Označenie CE
XJX01161000	Arctic 610 x 460 ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01163000	EBS Victory 630 ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01155003	Ceramic 550 O Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01155004	Ceramic 550 O Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01155005	Ceramic 550 R Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01155006	Ceramic 550 R Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA

Ing. Patrik Kreysa
 riaditeľ úseku obchodnej stratégie

V Příbrami, 13. marca 2025

